

צילום כד



STATE OF CONNECTICUT
DEPARTMENT OF AGRICULTURE

STATE OFFICE BUILDING HARTFORD, CONNECTICUT 06115

LEONARD E. KROGH
COMMISSIONER

February 23, 1978

Sholom Y. Gross
Executive Director
International Kashrus Association
P. O. Box 163
Dyker Heights Station
Brooklyn, New York 11228

Dear Mr. Gross:

This letter is in reply to your inquiry of November 12, 1977 in which you asked questions about vaccinating fowl. Please accept my sincere apology for not answering sooner.

The attached diagram shows the specific place for vaccination in the fowl body. No vaccination is injected in the fowl body other than fowl pox vaccination which is done in the wing web. Most vaccines are administered by spray or in the drinking water.

All baby chicks day of age are innoculated for Mareks Disease subcutaneously in the back of the neck. Turkeys are vaccinated through drinking water or possibly wing web. Chickens and turkeys are never innoculated in the legs.

I hope this answers your specific questions and please do not hesitate to write if more information is needed.

Very truly yours,

Leonard E. Krogh
Commissioner

LEK:gjk
Encl. - 1

צילום כה

DIAGRAM OF FOWL, WITH INDICATED POSITIONS OF INNOCULATION WITH VARIOUS VACCINATIONS.

Baby Chicks, day of age
Mareks Disease




DIAGRAM OF FOWL LEG.

NONE

